

GCS22U

## 2-Port USB KVM Switch with Cables and Remote



### 2-Port USB VGA KVM Cable Switch

IOGEAR's 2-Port USB VGA Cable KVM allows users to share a VGA monitor, a USB mouse, and a USB keyboard between two computers. It is the ideal competitively priced - entry level KVM solution that allow users to multitask with ease.

### Straight Forward KVM Solution

This USB VGA KVM switch offers an out-of-box solution with no additional cables needed. The USB KVM cables and remote switch are already built in the switch. Conveniently switch between computers by using the 6ft wired remote switch button. This cable KVM switch does not require a power supply as it is powered through the USB bus connection. The 2-port KVM switch also supports multiple operating systems including Windows, Sun, and Mac. It is entirely plug-n-play solutions with no software to run.

### Secure Switching

The 2-port USB VGA KVM switch also offers a cost effective solution to increase security by allowing users to switch between the Internet connected PC and an Intranet connected PC, a way to boost Internet security.

- One USB keyboard, USB mouse, and VGA monitor control two computers
- Separate the Internet and Intranet with the click of a button
- Max resolution: 2048 x 1536, DDC2B
- Plug-n-Play monitor support
- Molded-in cables to simplify setup
- Compact design features two attached KVM (USB and VGA) cables
- Supports Windows® 7, 8.1, 10, 11, Mac OS® X 9.0+, Linux®, Unix and other USB supported systems
- No software drivers required – simply connect the cables to the computers
- Computer selection via 6 ft remote controller cable that can be placed on your desk for easy reach
- Mac keyboard support
- Supports programmable mice
- No power adapter required
- 3 Year Limited Warranty



- Connect your monitor, keyboard and mouse to the KVM
- Connect the KVM USB cables to each computer
- Press the button on the remote controller to switch computers



## Requirements

## Package Contents

### Console:

- 1 VGA display
- Standard 104 key wired USB keyboard
- Standard 2 or 3 button wired USB mouse

- 1 x 2-Port USB Cable KVM
- 1 x Quick Start Guide
- 1 x Warranty Card

### Computers:

- 1 VGA port
- 2 USB ports

### Operating Systems:

- Windows® 7, 8.1, 10, 11
- Mac OS® X 9.0+
- Linux®, Unix and other USB supported systems\*

\*Additional drivers and support may be needed

## Specifications

Function	GCS22U	Dimensions	GCS22U
<b>CPU Connectors</b>		<b>POP Information</b>	
Monitor	VGA	10" Peg Hook	3
Keyboard & Mouse	USB	<b>Unit Dimensions</b>	
<b>Console Connectors</b>		Height	.87 in
Monitor	VGA	Depth	2.5 in
Keyboard & Mouse	USB	Width	3 in
<b>Cable Length</b>		<b>Inner Pack</b>	
<b>Cable Type</b>	Bonded USB	Height	8.25 in
<b>Connectors</b>		Length	
Keyboard	USB	Width	12.5 in
Mouse	USB	Inner Pack Qty.	6
Video Input	VGA	<b>Unit Package Dimensions</b>	
		Height	7.6 in
		Width	7.4 in
		Depth	2.25 in
		<b>Master Carton</b>	
		Height	9.4 in
		Width	13.25 in
		Depth	16.25 in
		Master Carton Qty.	12
		<b>Weight</b>	
		Master Carton Wt.	13.6 lbs
		Inner Pack Wt.	6.2 lbs
		Unit Pack Wt.	1.0 lb
		Unit Wt.	14 oz