

GCS72MDPKIT

## 2-Port USB VGA and Mini DisplayPort Cable KVM Kit




- Switch between two computers with the push of a button
- Offers the flexibility to mix and match computer connections: VGA and DisplayPort
- Includes 2 x DisplayPort to VGA adapters
- No external power needed
- Save Cabling Costs: All cables are included

### 2-Port Cable VGA / Mini DisplayPort KVM Switch

- Switch between two computers with the push of a button
  - Offers the flexibility to mix and match computer connections: VGA and Mini DisplayPort
  - Includes 2 x Mini DisplayPort to VGA adapters
  - No external power needed
  - Cost effective, Plug-N-Play solution
- Switch between two computers with the push of a button
  - Offers the flexibility to mix and match computer connections: VGA and Mini DisplayPort
  - Includes 2 x Mini DisplayPort to VGA adapters
  - No external power needed
  - Cost effective, Plug-N-Play solution
  - One USB keyboard, USB mouse, and VGA monitor control two computers
  - Max resolution: 2048 x 1536, DDC2B
  - 2.1 Stereo audio and microphone support
  - 3' long molded-in cables to simplify setup
  - Compatible with PC, MAC and SUN operating platforms
  - Supports Windows XP or higher, Mac OS 9.0 or higher, Sun Solaris 9 or higher
  - Full Mac keyboard support
- Supports programmable mice
  - All cables included
  - 2 x Mini DisplayPort to VGA Adapters convert your Mini DisplayPort to VGA:
    - Works with Apple® iMac® or MacBook®
    - Compliant with Mini DisplayPort Specification 1.1a for both 1.62 Gbps and 2.7 Gbps
    - Support full Mini DisplayPort link tracking
    - Supported resolutions:
      - Full HD 1080p
      - 1920x1200
      - VGA, SVGA, XGA, SXGA and UXGA at 162 MHz pixel rate
    - Support interrupt request output for expansion function
    - Support Deep Sleep Mode (suspend mode)





**Requirements**

**Package Contents**

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>• <b>Console:</b></li> <li>• 1 x VGA display</li> <li>• 1 x standard 104 key wired USB keyboard</li> <li>• 1 x standard 2 or 3 button wired USB mouse</li> <li>•</li> <li>• <b>Computers:</b></li> <li>• VGA or Mini DisplayPort port</li> <li>• USB ports</li> <li>• 3.5mm audio port (optional)</li> <li>•</li> <li>• <b>Operating Systems:</b></li> <li>• Windows Vista®, Windows® 7, Windows® 8.1, Windows® 10</li> <li>• Mac OS 9 to 10.x</li> <li>• Oracle® Solaris</li> <li>• Linux®, Unix and other USB supported systems*</li> </ul> | <ul style="list-style-type: none"> <li>• 1 x 2-Port USB Cable KVM</li> <li>• 2 x Mini DisplayPort to VGA Adapters</li> <li>• 1 x Quick Start Guide</li> <li>• 1 x Warranty Card</li> </ul> |
|--|--|

\*Additional drivers and support may be needed

## Specifications

Function	GCS72MDPKIT	Dimensions	GCS72MDPKIT
<b>Computer Connections</b>		<b>POP Information</b>	
Direct	2	10" Peg Hook	4
<b>Console Connectors</b>		6" Peg Hook	
Monitor	VGA	<b>Unit Dimensions</b>	
Keyboard	USB	Height	6" (15.24cm)
Mouse	USB	Depth	7" (17.78cm)
<b>CPU Connectors</b>		Length	
Monitor	2 x VGA; 2 x Mini DisplayPort (with adapters)	2" (5.08cm)	
Keyboard & Mouse	2 x USB	<b>Unit Package Dimensions</b>	
<b>LEDs</b>		Width	
On Line	Green	6.25" (15.87cm)	
<b>Video Resolution</b>		Height	
2048x1536 (VGA), 1920x1200 (with adapters)		8.87" (22.54cm)	
<b>Port Selection</b>		Depth	
Remote Pushbutton		2.25" (5.72cm)	
<b>Cable Type</b>		<b>Master Carton</b>	
Bonded USB KVM		Width	
<b>Cable Length</b>		8" (20.32cm)	
2 x 3ft each		Height	
<b>Housing</b>		7" (17.78cm)	
Case		Depth	
Plastic		15.25" (38.74cm)	
		Master Carton Qty.	
		6	
		<b>Weight</b>	
		Master Carton Wt.	
		7.52lb (3.42kg)	
		Unit Pack Wt.	
		1.14lb (0.52kg)	
		Unit Wt. w/accessories	
		0.92lb (0.42kg)	
		Unit Wt.	
		0.82lb (0.37kg)	