

GCS922U

2-Port USB DVI Cable KVM Switch

Plug-N-Play - Share two computers using a keyboard, mouse and DVI monitor (1920x1200@60Hz). Cables included.



2-Port USB DVI Cable KVM Switch

IOGEAR's Plug-N-Play GCS922U simplifies the method of sharing two computers using one DVI monitor, keyboard and mouse. Perfect for a home office or small / medium size business with needs to consolidate workspace to streamline or develop efficient workstations to eliminate multiple desktop setups. The 2-port USB DVI Cable KVM supports video resolution up to 1920 x 1200 @ 60Hz, giving users excellent, crisp images on the screen every time.

Straight Forward Connectivity

Switch and control any of the two connected computers easily via remote push button. This 2-Port DVI switch does not require external power and supports USB hot-plugging, making it easy to add or remove USB computers connected to the KVM. A true Plug-N-Play solution, IOGEAR's 2-Port Cable DVI KVM switch requires no software installation. Expand your USB peripheral sharing by using the USB mouse port.


Secure Switching

This Cable DVI KVM switch also offers a cost effective solution to increase security by allowing users to securely switch between the Internet connected PC and an Intranet connected PC. With built-in cables, IOGEAR's 2-Port USB DVI KVM switch is a true out-of-the box plug and play solution to your connectivity needs!

- Control two computers with one keyboard, mouse and monitor
- 2-Port DVI-D KVM
- Video resolution: 1920x1200 @60Hz
- Switch between computers via remote push buttons
- Built-in cables
- USB mouse and keyboard peripherals
- OS Support: Windows, Linux, Mac and Sun
- USB hot-pluggable
- Power supply not required - bus-powered
- Plug-N-Play



- Connect your USB keyboard, USB mouse and DVI monitor to the KVM.
- Connect your computers to the KVM switch with the attached KVM cables and power on the computers.
- Press the remote button to switch between computers.



Requirements

Package Contents

- | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> • Console: • 1 x DVI display • 1 x standard 104 key wired USB keyboard • 1 x standard 2 or 3 button wired USB mouse • • Computers: • DVI-D Port • USB Ports • • Operating Systems: • Windows Vista®, Windows® 7, Windows® 8, Windows® 8.1, Windows® 10 • Mac OS 9 to 10.x • Oracle® Solaris • Linux®, Unix and other USB supported systems* | <ul style="list-style-type: none"> • 1 x GCS922U 2-Port USB DVI KVM Switch • 1 x Quick Start Guide • 1 x Warranty card |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|

*Additional drivers and support may be needed

Specifications

Function	GCS922U	Dimensions	GCS922U
CPU Connectors		POP Information	
Monitor	DVI-D	10" Peg Hook	5
Keyboard & Mouse	USB	6" Peg Hook	3
Console Connectors		Unit Dimensions	
Monitor	DVI-D	Height	1.06in (2.69cm)
Keyboard & Mouse	USB	Depth	4.06in (10.3cm)
Cable Length	2 x 4ft. ea	Length	3.44in (8.74cm)
Cable Type	Bonded USB	Unit Package Dimensions	
Connectors		Width	6.13in (15.6cm)
Video Input	DVI-D	Height	8.81in (22.4cm)
Keyboard	USB	Depth	2.25in (5.72cm)
Mouse	USB	Master Carton	
Port Selection	Remote Switch	Width	6.75in (17.1cm)
Video Resolution	1920x1200 @60Hz	Height	15.00in (38.1cm)
		Depth	8.00in (20.3cm)
		Master Carton Qty.	6
		Weight	
		Master Carton Wt.	6.60lb (3.00kg)
		Unit Pack Wt.	1.00lb (0.44kg)
		Unit Wt.	0.75lb (0.34kg)