

GME630

# Kaliber Gaming™ SYMMETRE Ambidextrous Gaming Mouse



- USB 2.0 Full speed gaming mouse
- Fully ambidextrous design for right- or left-handed gamers
- 9 buttons with custom programming software
- Avago ADNS-3050 optical sensor
- Adjust on-the-fly up to 4000 dpi

## Ambidextrous Gaming Mouse

Kaliber Gaming by IOGEAR's SYMMETRE Ambidextrous Gaming Mouse is the perfect choice for both casual gamers, as well as hardcore gamers that care more about performance than bells and whistles. On the outside SYMMETRE is designed for everyone, and features a truly ambidextrous design with thumb buttons for right and left-handed gamers. At the heart of SYMMETRE is a gaming-grade optical sensor that delivers a level of speed and accuracy on par with mice costing over twice as much. Rather than compromising performance to save cost, SYMMETRE instead strips away "fluff" like custom lighting colors that while looking nice, certainly won't help you win any games. What does help you win games are core features like user programmable buttons for adding macros, and shift on-the-fly adjustable resolution up to 4000 dpi which make SYMMETRE an excellent performer and a great value.

### Macro Buttons

Use the Kaliber Gaming software to program up to 8 buttons with macros or custom functions

### 4000 dpi Optical Sensor

Shift on-the-fly adjustable resolution from 500 to 4000 dpi with gaming grade optical sensor

### Ambidextrous Design

Completely ambidextrous design fits both left-handed and right-handed gamers equally well

- USB 2.0 Full speed gaming mouse
- Fully ambidextrous design for right- or left-handed gamers
- 9 buttons with custom programming software
- Avago ADNS-3050 optical sensor
- Adjust on-the-fly up to 4000 dpi
- 64K built-in memory
- 125/500/1000Hz adjustable report rate
- 6600 fps frame rate
- LED backlighting with "breathing" effect



#### Requirements

- Windows® 10, Windows® 8.1, Windows® 8, Windows® 7, Windows Vista®
- Mac OS X 10.3+\*
- USB 2.0

#### Package Contents

- 1 x GME630 Mouse
- 1 x Quick Start Guide
- 1 x Warranty Card

\* User interface software not compatible with Mac OS.

## Specifications

| Function                             | GME630  |
|--------------------------------------|---|
| <b>Mouse Specs</b>                   |   |
| Max Resolution                       | 4000 dpi  |
| Sensor                               | ADNS-3050   |
| Number of Buttons                    | 9   |
| Programming Software                 | Yes; Windows only   |
| Adjustable Weight                    | No  |
| Lighting                             | Blue LED (5-color LED for DPI buttons)                            |
| Ambidextrous                         | Yes   |
| Button Life                          | 20M clicks  |
| Onboard Memory                       | 64K   |
| Weight                               | 107.5 grams (without cord)  |
| Cable Length                         | 2m (6.5ft)  |
| Dimensions                           | 116mm (L) x 70mm (W) x 39mm (H)                                   |
| Report Rate                          | 125/500/1000 rps  |
| Frame Rate                           | 6500 fps  |
| Max Speed                            | 60 ips  |
| Max Acceleration                     | 20G   |
| Switches                             | Main: Omron D2FC-F-7N (20M)                                       |
| <b>Operating System Requirements</b> |   |
| Windows                              | Windows Vista®, Windows® 7, Windows® 8, Windows® 8.1, Windows® 10 |
| Mac                                  | Mac OS X 10.3+ (user interface software not supported)            |
| <b>Environment</b>                   |   |
| Operation Temperature                | 0 to 40 degrees (Celsius)   |
| Storage Temperature                  | -20 to 60 degrees (Celsius)                                       |
| <b>Housing</b>                       |   |
| Case                                 | ABS, Polycarbonate, Rubber  |

| Dimensions                     | GME630         |
|--------------------------------|----------------|
| <b>POP Information</b>         |                |
| 10" Peg Hook                   | 3              |
| 6" Peg Hook                    | 2              |
| <b>Unit Dimensions</b>         |                |
| Height                         | 1.6" (4.0cm)   |
| Depth                          | 2.8" (7.0cm)   |
| Length                         | 4.5" (11.5 cm) |
| <b>Inner Pack</b>              |                |
| Width                          | 7.2" (18.5cm)  |
| Height                         | 9.6" (24.5cm)  |
| Length                         | 16.9" (43cm)   |
| Inner Pack Qty.                | 6              |
| <b>Unit Package Dimensions</b> |                |
| Height                         | 9.0" (22.9cm)  |
| Depth                          | 2.7" (6.8cm)   |
| Length                         | 6.5" (16.5cm)  |
| <b>Master Carton</b>           |                |
| Width                          | 17.7" (45.0cm) |
| Height                         | 15.7" (40.0cm) |
| Depth                          | 10" (25.5cm)   |
| Master Carton Qty.             | 12             |
| <b>Weight</b>                  |                |
| Master Carton Wt.              | 11.4lb (5.2kg) |
| Inner Pack Wt.                 | 5.0lb (2.27kg) |
| Unit Pack Wt.                  | .72lb (.33kg)  |
| Unit Wt.                       | .3lb (.15kg)   |