

## GUC211VKIT

# Portable Laptop Console Crash Cart Adapter IT Kit



- Works with Windows and Linux
- Portable Console Crash Cart Adapter ([GUC211V](#))
- DisplayPort to VGA adapter ([GDPVGAW6](#))
- HDMI to VGA adapter ([GVC311](#))
- DVI to VGA adapter ([GDVIMVGAE](#))

[Try-and-Buy Program](#)

## IT Kit Including: Crash Cart Adapter and DisplayPort, HDMI, DVI to VGA Adapters


IOGEAR's Portable Laptop Console Crash Cart Adapter IT Kit is perfect for any IT professional that requires minimal equipment, flexibility and portability in any situation. This IT kit provides the flexibility to mix and match video adapters to meet any computer's needs, including: DisplayPort, HDMI, DVI and VGA. Unlike our competitors, this all-in-one solution saves money and the hassle of buying compatible video adapters.

### [Portable Laptop Console Crash Cart Adapter](#)

- Provides direct Laptop-to-Computer desktop access
- Included Adapters: [DisplayPort](#), [HDMI](#) and [DVI](#)
- VGA - resolutions up to 1920x1200 @60Hz
- Programmable macros and hotkeys
- Plug-N-Play - No additional software needed
- Bi-directional file transfer between connected laptop and computer
- Access laptop applications in virtual window without switching windows
- BIOS level access
- Perform OS patching, software installation and diagnostic testing on remote computer
- Video recording and capture of remote computer\*
- Mouse DynaSync™ - automatically synchronizes the laptop and connected computer's mouse movements
- On-screen virtual keyboard with multi-language support
- Supports Windows® 2000, Window Vista®, Windows® 7, Windows® 8, Windows® 8.1, Windows® 10, Windows® 10.1
- Adjust remote computer virtual window resolution
- USB powered
- Hot-Pluggable
- Firmware upgradable

\*Requires Java application v1.7.0\_75 or later ready from laptop for video recording playback





**Requirements**

**Package Contents**

- Laptop:
  - Hardware:
    - USB 2.0 Port
  - Operating Systems:
    - Windows® 2000, Windows® Vista, Windows® 7, Windows® 8.1, Windows® 10, Windows Server® 2008+, Linux
- Target Computer:
  - Hardware:
    - USB Type A Port
    - VGA Port
    - DVI Port (with [GDVI MVGA E](#))
    - HDMI Port (with [GVC3 11](#))
    - DisplayPort (with [GDPV GAW6](#))

- 1 x GUC211V Portable Laptop Console Crash Cart Adapter
- 1 x USB Type A to USB Mini-B Cable
- 1 x DisplayPort to VGA Adapter
- 1 x HDMI to VGA Adapter
- 1 x DVI to VGA Adapter
- 1 x QSG

**Note:**  
 The GUC211V only controls the connected computer through a direct cable connection. The GUC211V supports one-to-one direct KVM console; it cannot be used to control two stand-alone PCs, as it only

desktop access  
 User must know login  
 credential of the connected  
 computer if needed for  
 access

## Specifications

Function	GUC211VKIT	Dimensions	GUC211VKIT
<b>Computer Connections</b>		<b>Unit Dimensions</b>	
Direct	1	Height	2.375" (6.03cm)
<b>CPU Connectors</b>		Depth	0.75" (1.91cm)
Monitor	1 x VGA Male (Blue)	Length	2.18" (5.56cm); Mini to Type A USB Cable: 72" (183cm); USB and VGA Cables: 19" (48.26cm)
Keyboard & Mouse	1 x USB Type A Male (Black)	<b>Unit Package Dimensions</b>	
<b>Console Connectors</b>		Width	4.68" (11.9cm)
Keyboard, Mouse, and Monitor	1 x Mini-USB Female (Black)	Height	6.29" (16cm)
<b>Video Resolution</b>		Depth	2.3" (5.9cm)
VGA / DisplayPort / HDMI / DVI - 1920x1200 @60Hz		<b>Master Carton</b>	
<b>LEDs</b>		Width	9" (22.86cm)
On Line	1 x Blue	Height	6" (15.24cm)
<b>Environment</b>		Depth	3" (7.62cm)
Operation Temperature	0-40C	Master Carton Qty.	1
Storage Temperature	-20-60C	<b>Weight</b>	
Humidity	0-80% RH, Non-condensing	Master Carton Wt.	0.5lb (0.23kg)
<b>Housing</b>		Unit Pack Wt.	0.39lb (0.18kg)
Case	Plastic	Unit Wt.	0.56lb (0.25kg)
<b>Warranty</b>			
	3-Year		