

GUD3C04

Access Pro™ 2-Port USB-C KVM Switch with Power Delivery (TAA Compliant)




- 2-Port USB-C KVM Switch with Power Delivery
- Control and share 2 USB-C devices with DP Alt Mode from one keyboard, mouse, and an HDMI monitor
- Power Delivery¹ (USB-C external power needed) with up to 75W charging for laptop² and up to 10W for smartphone³
- Supports USB-C/Thunderbolt 3 MacBook Air, Macbook Pro, iPad Pro, Windows and Android 8+ devices

USB-C KVM - Switch Between Two USB-C Devices

Easily switch between two USB-C devices and control them with one keyboard, one mouse and view content on one 4K monitor. IOGEAR's Access Pro™ 2-Port USB-C KVM Switch requires no software and comes complete with the Power Delivery function, USB-C cables, and a 6-foot push-button remote switch.

Why spend extra money on features you don't need? The USB-C KVM offers the most efficient and affordable way to switch between two USB-C or Thunderbolt™ 3-equipped Mac® computers, PCs, iPad® or Android™ tablets and smartphones with a single-cable connection to each device without additional drivers or software.



- 2-Port USB-C KVM Switch with Power Delivery
- Control and share 2 USB-C devices with DP Alt Mode from one keyboard, mouse, and an HDMI monitor
- Power Delivery¹ with up to 75W charging for laptop² and up to 10W for smartphone³
- Supports USB-C/Thunderbolt™ 3 MacBook Air®, MacBook Pro®, iPad

Pro®, Windows® & Android 8+ devices

- Resolution up to 4K UHD 3840 x 2160 @30Hz for USB-C laptops
- Resolution up to 1080p @60 for USB-C tablets and smartphones
- Thunderbolt 3 laptop compatible

- USB 3.1 Gen1 supports data transfer rates up to 5 Gbps
- Compatible with Apple M1 chip devices; provides USB Power Delivery 3.0 for laptop charging up to 85W (USB-C Power Adapter is needed)
- Convenient switching between devices via a push-button remote
- Supports DeX® Mode⁴ on Samsung USB-C smartphones
- Plug-n-Play; no software or driver needed
- HDCP 1.4 Compliant

Note:


¹ Connect Limited Power Source (LPS) certified USB-C power adapter

² Must be plugged into Primary USB-C port 1

³ When plugged into Secondary USB-C port 2

⁴ Samsung DeX Mode is only supported on Samsung Galaxy S8, S8+, S9, S9+, S10, S10+, and Note 8, Note 9, and Tab S4; other Android devices support mirror screen





Requirements

Package Contents

- | | |
|---|---|
| <ul style="list-style-type: none"> • Sources: <ul style="list-style-type: none"> USB-C enabled devices with DP-Alt Mode over USB-C USB-C external power source (recommend a Limited Power Source (LPS) certified USB-C power adapter) • Console: <ul style="list-style-type: none"> HDMI monitor Standard wired 104 keys USB keyboard Standard wired 2 or 3-button USB mouse • Operations: <ul style="list-style-type: none"> Windows® 10 (32/64 bit)+ MacOS® X 10.12+ iPadOS® 12.1+; iPad Pro® 3rd generation (2018)¹ Android 8+² Chrome OS® | <ul style="list-style-type: none"> • 2-Port USB-C KVM Switch with Power Delivery • 2 x 3ft USB-C to USB-C cables • 1 x 6ft Remote pushbutton • Quick Start Guide • Warranty Card |
|---|---|

¹For complete HID keyboard and mouse support, iPadOS 13+ is recommended

²DeX Mode is only supported on Samsung Galaxy S8, S8+, S9, S9+, and Note 8, Note 9, and Tab S4 for extended screen; other Android devices support mirror screen

Specifications

Function	GUD3C04	Dimensions	GUD3C04
Upstream Port		POP Information	
USB-C	1x USB-C for laptop, 1x USB-C for smartphone; data rate up to 5Gbps	10" Peg Hook	3
Downstream Port		6" Peg Hook	2
HDMI	1x HDMI 1.4b compliant, up to 4K UHD 3840 x 2160 @30Hz resolution (4K laptops); up to 1080p (smartphones and tablet sources)	Unit Dimensions	
USB-A	2x USB-A 3.1 Gen 1, data rate up to 5Gbps	Height	0.9" (2.29cm)
USB-C	1x USB-C for Power Delivery Pass-Thru	Length	5.75" (14.6cm)
Power		Depth	4.75" (12.07cm)
Power Delivery Pass-Thru	Port 1 supports up to 75W at 5V/9V/15V/20V. Port 2 supports up to 10W (5V/2A)	Unit Package Dimensions	
Power Consumption		Height	7.28" (18.5cm) + 1.5" (3.8cm) hanging tab
5V/3A (15W)		Width	6.1" (15.5cm)
Operating System Requirements		Depth	2.16" (5.5cm)
Mac	MacOS X 10.12+	Master Carton	
Windows	Windows 10 (32/64 bit)+	Height	7.87" (20cm)
Android	Android 8+	Width	15.16" (38.5cm)
iOS	iPadOS 12.1+; iPad Pro 3rd generation (2018) for full HID keyboard and mouse support	Depth	6.69" (17cm)
Chrome OS	Chrome OS	Master Carton Qty.	6
Environment		Weight	
Humidity	0?80% RH, Non-condensing	Master Carton Wt.	8.9lb (4.05kg)
Operation Temperature	32 - 104°F (0?40°C)	Unit Pack Wt.	1.4lb (0.64kg)
Storage Temperature	-4 - 140°F (-20?60°C)	Unit Wt.	0.8lb (0.36kg)