

GUH3C24P

HUB-C[™]+ , USB-C to 4-port USB-A Hub with Power



USB-C[™] to 4-port USB-A Hub with Power Adapter

IOGEAR's HUB-C[™]+ - USB-C to 4-port USB-A Hub plugs into your laptop's USB 3.1 Type-C[™] port and connects up to four USB 3.0 devices. Plug the adapter into the USB Type-C port of your laptop to convert it into four USB-A ports. Now you're ready to connect devices like a hard drive, flash drive, camera, or an USB cable for syncing and charging your smartphone or tablet. Transfer pictures, videos and music from existing USB accessories to your new Type-C laptop at blazing fast speeds. It also comes with its own power adapter so that you can connect and power your USB devices without a worry. The super compact and lightweight hub easily fits into any laptop case, briefcase or backpack making it convenient to take with you on-the-go.

The New Universal Standard

USB Type-C™ is the latest universal standard in connectivity. Compared to earlier generations of USB connectors, USB-C has a slim profile connector to support ultra-thin laptops and tablets. Although USB-C has a low-profile design, it packs a big punch when it comes to speed and power. And best of all, it's reversible to allow hassle-free connecting. The new standard fixes the age-old problem of connecting your USB in the wrong way, eliminating the frustration of fumbling with the USB plug when connecting it to a computer.


- Connect up to four USB 3.0 devices to your USB-C[™] computer
- SuperSpeed USB 3.0 data transfer rate of up to 5Gbps
- Backwards compatible with USB 2.0 and USB 1.1
- Space-saving, compact design that easily fits in briefcases, backpacks, and pockets
- Hot swappable: Connect and disconnect devices without powering off your computer
- AC adapter provides power to the USB Hub
- Will not charge an USB Type-C Notebook
- Plug-n-play











Requirements

- Package Contents
- USB 3.1 Type-C port
- Windows® 7,
 Windows® 8,
 Windows® 8.1,
 Windows® 10
- Mac OS X 10.6+
- 1 x GUH3C24P
- 1 x 5V4A Full-Range AC Power Adapter
- 1 x Quick Start Guide
- 1 x Warranty Card



Specifications

Function GURIGC24P Dimensions GURIGC24P Operating System Requirements Mac OS X 10.6+ 10° Peg Hook 3 Windows9 Nimdows98, Windows98, Windows99, Windows98, Windows98, Windows99, Windows99, Windows99, W				
Mac Mac OS X 10.6+ 10° Peg Hook 3 Windows Windows® 1, Windows® 8.1, Windows® 8.1, Windows® 8.1, Windows® 1.0 6° Peg Hook 2 Other USB 3.1 Spen 1, USB 3.0, USB 2.0, USB 1.1 compliant Height 0.5° (1.27cm) Power Adapter SV4A AC Power Adapter Length 1.56° (3.96cm) LEDS Inner Pack Power On Blue Width 9.31° (23.65cm) Height 6.13° (15.55cm) 1.66° (3.96cm) Length 4.75° (12.06cm) 1.66° (3.96cm) Inner Pack Length 4.75° (12.06cm) Inner Pack Oty. 3 3.1° (23.65cm) Width 4.63° (11.75cm) 4.63° (11.75cm) Width 4.63° (11.75cm) 4.63° (11.75cm) Depth 5.31° (13.49cm) 4.63° (13.02cm) Master Carton Width 10° (25.4cm) 4.62° (13.02cm) Depth 4.62° (13.02cm) 4.62° (13.02cm) 4.62° (13.02cm) Master Carton City. 12 4.62° (13.02cm) 4.62° (13.02cm) 4.62° (13.02cm) 4.62° (13.02cm) 4.62° (13	Function	GUH3C24P	Dimensions	GUH3C24P
Windows Windows 8° Pe Hook 2 Other USB 3.1 Cpc por Init Dimensions USB 3.9 Gen 1, USB 3.0, USB 2.0, USB 2.1 compliant Depth 1.56° (3.96cm) Power Adapter SV4A AC Power Adapter Length 2.93° (7.46cm) LEDS Inner Pack Width 9.31° (23.65cm) Power On Blue Width 9.31° (23.65cm) Inner Pack Oty. 1.00° (1.2° cm) 2.00° (1.2° cm) Inner Pack Oty. 3.31° (13.49cm) 3.31° (13.49cm) Inner Pack Oty. 3.30° (11.75cm) 3.30° (11.75cm) Inner Pack Oty. 4.63° (11.75cm) 4.63° (11.75cm) Inner Pack Oty. 3.31° (13.49cm) 3.31° (13.49cm) Inner Pack Oty. 4.63° (11.75cm) 4.63° (11.75cm) Inner Pack Oty. 4.63° (11.74cm) 4.63° (11.74cm) Inner Pack Oty. 4.63° (11.74cm) 4.63° (11.74cm) </td <td>Operating System Requirements</td> <td></td> <td>POP Information</td> <td></td>	Operating System Requirements		POP Information	
Mindows#1	Mac	Mac OS X 10.6+	10" Peg Hook	3
Other USB 3.1 Type-C port Height 0.5° (1.27cm) USB Specification USB 3.1 Gen 1, USB 3.0, USB 2.0, USB 1.1 5epth 1.56° (3.96cm) Power Adapter 5V4A AC Power Adapter Length 2.33° (7.46cm) LEDS Inner Pack 45° (1.25cm) Power On Blue Width 3.31° (23.65cm) Height 4.75° (12.06cm) 1.05cm) Inner Pack City. 3 3 Width 4.63° (11.75cm) 4 Height 5.31° (13.49cm) 5.31° (13.49cm) Depth 2.81° (7.14cm) 5.31° (13.49cm) Depth 2.81° (7.14cm) 6.91° (25.4cm) Height 10° (25.4cm) 10° (25.4cm) Height 1	Windows		6" Peg Hook	2
Height D.5' (1.27cm) Deph 1.56' (3.96cm) Power Adapter 5V4A AC Power Adapter Length 2.93' (7.46cm) LEDS Power On Blue Width 9.31' (23.65cm) Height 6.13' (15.55cm) Length 6.13' (11.75cm) Height 6.13' (11.75cm) Height 6.13' (11.75cm) Height 6.13' (13.49cm) Depth 6.13' (13.49cm) Depth 6.13' (13.49cm) Depth 7.14cm 7.14cm Master Carton Width 10' (25.4cm) Height 13' (33.02cm) Depth 10' (25.4cm) Master Carton Otly. 12 Weight Master Carton Wit. 10.90!b (4.94kg) Inner Pack Wit. 2.50!b (1.14kg) Unit Pack Wit. 0.75!b (0.34kg) Unit Pack Wit. 0.75!b (0.34kg) Complementary (1.45cm) Complementary (1.45	Other	USB 3.1 Type-C port	Unit Dimensions	
Power Adapter 544A AC Power Adapter Length 2.93' (7.46cm) LEDS Inner Pack Power On Blue Width 9.31' (23.65cm) Height 6.13' (15.55cm) 1.66' (12.06cm) Length 4.75' (12.06cm) 1.66' (11.75cm) Inner Pack Qty. 3 3 Width 4.63' (11.75cm) 463' (11.75cm) Height 5.31' (13.49cm) 2.81' (7.14cm) Oppth 2.81' (7.14cm) 2.81' (7.14cm) Width 10' (25.4cm) 10' (25.4cm) Height 13' (33.02cm) 2.61cm) Oppth 10' (25.4cm) 10' (25.4cm) Width 10' (25.4cm)		USB 3.1 Gen 1, USB 3.0, USB 2.0, USB 1.1	Height	0.5" (1.27cm)
Inner Pack Power On Blue Width 9.31* (23.65cm) Height 6.13* (15.55cm) 4.75* (12.06cm) Inner Pack Qty. 3 Unit Package Dimensions Width 4.63* (11.75cm) Height 5.31* (13.49cm) Depth 2.81* (7.14cm) Master Carton Width 10* (25.4cm) Height 13* (33.02cm) Depth 10* (25.4cm) Master Carton Qty. 10* (25.4cm) Master Carton Wt. 10.90lb (4.94kg) Inner Pack Wt. 2.50lb (1.14kg) Unit Pack Wt. 0.75lb (0.34kg)			Depth	1.56" (3.96cm)
Power On Blue Width 9.31* (23.65cm) Height 6.13° (15.55cm) 4.75° (12.06cm) Length 4.75° (12.06cm) 4.75° (12.06cm) Inner Pack Qty. 3 Uit Package Dimensions Width 4.63° (11.75cm) 4.63° (11.43cm) Depth 2.81° (7.14cm) 4.63° (11.40cm) Master Carton Width 10° (25.4cm) 4.63° (25.4cm)	Power Adapter	5V4A AC Power Adapter	Length	2.93" (7.46cm)
Height 6.13" (15.55cm) Length 4.75" (12.06cm) Inner Pack Qty. 3 Unit Package Dimensions Width 4.63" (11.75cm) Height 5.31" (13.49cm) Depth 2.81" (7.14cm) Master Carton Width 10" (25.4cm) Height 13" (33.02cm) Depth 10" (25.4cm) Master Carton Qty. 12 Weight Master Carton Wt. 10.90lb (4.94kg) Inner Pack Wt. 2.50lb (1.14kg) Unit Pack Wt. 0.75lb (0.34kg)	LEDs		Inner Pack	
Length 4.75" (12.06cm) Inner Pack Qty. 3 Unit Package Dimensions Width 4.63" (11.75cm) Height 5.31" (13.49cm) Depth 2.81" (7.14cm) Master Carton Width 10" (25.4cm) Height 13" (33.02cm) Depth 10" (25.4cm) Master Carton Qty. 12 Weight Master Carton Wt. 10.90lb (4.94kg) Inner Pack Wt. 2.50lb (1.14kg) Unit Pack Wt. 0.75lb (0.34kg)	Power On	Blue	Width	9.31" (23.65cm)
Inner Pack Qty. 3			Height	6.13" (15.55cm)
Unit Package Dimensions Width 4.63* (11.75cm) Height 5.31* (13.49cm) Depth 2.81* (7.14cm) Master Carton Width 10* (25.4cm) Height 13* (33.02cm) Depth 10* (25.4cm) Master Carton Oty. 12 Weight Master Carton Wt. 10.90lb (4.94kg) Inner Pack Wt. 2.50lb (1.14kg) Unit Pack Wt. 0.75lb (0.34kg)			Length	4.75" (12.06cm)
Width 4.63" (11.75cm) Height 5.31" (13.49cm) Depth 2.81" (7.14cm) Master Carton Width 10" (25.4cm) Height 13" (33.02cm) Depth 10" (25.4cm) Master Carton Qty. 12 Weight Master Carton Wt. 10.90lb (4.94kg) Inner Pack Wt. 2.50lb (1.14kg) Unit Pack Wt. 0.75lb (0.34kg)			Inner Pack Qty.	3
Height 5.31* (13.49cm) Depth 2.81* (7.14cm) Master Carton Width 10* (25.4cm) Height 13* (33.02cm) Depth 10* (25.4cm) Master Carton Qty. 12 Weight Master Carton Wt. 10.90lb (4.94kg) Inner Pack Wt. 2.50lb (1.14kg) Unit Pack Wt. 0.75lb (0.34kg)			Unit Package Dimensions	
Depth 2.81* (7.14cm) Master Carton Width 10* (25.4cm) Height 13* (33.02cm) Depth 10* (25.4cm) Master Carton Qty. 12 Weight Master Carton Wt. 10.90lb (4.94kg) Inner Pack Wt. 2.50lb (1.14kg) Unit Pack Wt. 0.75lb (0.34kg)			Width	4.63" (11.75cm)
Master Carton Width 10" (25.4cm) Height 13" (33.02cm) Depth 10" (25.4cm) Master Carton Qty. 12 Weight Master Carton Wt. 10.90lb (4.94kg) Inner Pack Wt. 2.50lb (1.14kg) Unit Pack Wt. 0.75lb (0.34kg)			Height	5.31" (13.49cm)
Width 10" (25.4cm) Height 13" (33.02cm) Depth 10" (25.4cm) Master Carton Qty. 12 Weight Master Carton Wt. 10.90lb (4.94kg) Inner Pack Wt. 2.50lb (1.14kg) Unit Pack Wt. 0.75lb (0.34kg)			Depth	2.81" (7.14cm)
Height 13" (33.02cm) Depth 10" (25.4cm) Master Carton Qty. 12 Weight Master Carton Wt. 10.90lb (4.94kg) Inner Pack Wt. 2.50lb (1.14kg) Unit Pack Wt. 0.75lb (0.34kg)			Master Carton	
Depth 10" (25.4cm) Master Carton Qty. 12 Weight Master Carton Wt. 10.90lb (4.94kg) Inner Pack Wt. 2.50lb (1.14kg) Unit Pack Wt. 0.75lb (0.34kg)			Width	10" (25.4cm)
Master Carton Qty. 12 Weight Master Carton Wt. 10.90lb (4.94kg) Inner Pack Wt. 2.50lb (1.14kg) Unit Pack Wt. 0.75lb (0.34kg)			Height	13" (33.02cm)
Weight Master Carton Wt. 10.90lb (4.94kg) Inner Pack Wt. 2.50lb (1.14kg) Unit Pack Wt. 0.75lb (0.34kg)			Depth	10" (25.4cm)
Master Carton Wt. 10.90lb (4.94kg) Inner Pack Wt. 2.50lb (1.14kg) Unit Pack Wt. 0.75lb (0.34kg)			Master Carton Qty.	12
Inner Pack Wt. 2.50lb (1.14kg) Unit Pack Wt. 0.75lb (0.34kg)			Weight	
Unit Pack Wt. 0.75lb (0.34kg)			Master Carton Wt.	10.90lb (4.94kg)
			Inner Pack Wt.	2.50lb (1.14kg)
Unit Wt. 0.06lb (0.28kg)			Unit Pack Wt.	0.75lb (0.34kg)
			Unit Wt.	0.06lb (0.28kg)