

GUH3C44

USB-C 4K HDMI VGA Dock

- Connect your USB-C or Thunderbolt™ 3 based Notebook, Ultrabook™ or Tablet to a HDMI® / VGA display or projector
- USB-C to HDMI
- USB-C to VGA
- USB-C to USB Type-A
- USB-C to Ethernet



USB-C 4-in-1 Video Adapter

The USB-C 4K HDMI VGA Dock expands an USB-C port to an Ethernet network connection, HDMI output, VGA output and an USB Type-A port. This all-in-1 adapter enables your USB-C or Thunderbolt™ 3 based Notebook or Tablet to connect to a HDMI / VGA display or projector, USB peripherals, and is also compliant with DisplayPort™ specification 1.2 alternate mode. Display crisp and sharp content while the adapter's specially engineered 6-layer PCBA design reduces signal distortion and electromagnetic interference from surrounding sources, for an uninterrupted viewing experience. You can also easily connect a standard RJ-45 Ethernet cable to deliver Internet and network access at up to Gigabit speeds (1000Mbps).

1. USB-C to USB Type-A

Connect USB devices like a hard drive, flash drive, camera, mouse or an USB cable for syncing and charging your smartphone or tablet. Transfer data, pictures, videos and music from your existing USB Type-A accessories to your USB-C device at blazing fast speeds.

2. USB-C to Ethernet

The adapter adds a RJ45 Ethernet port to your computer giving you access to a high performance Ethernet network. Leveraging the high bandwidth of USB 3.1, this adapter ensures true, reliable 10/100/1000Mbps network speed* for buffer-free movie streaming, online gaming, data transferring, video conferencing and internet browsing.

3. USB-C to VGA


Output high definition VGA video from your USB-C device straight to a VGA supported monitor, display or projector. The ViewPro-C's VGA output enables resolutions of up to 2048x1152 and allows you to stay connected to your legacy display, TV or projector.

4. USB-C to HDMI with 4K (UHD) Support

Display 4K content from your new MacBook® or Chromebook™ on the latest UHD televisions, projectors and displays. With support for video resolutions of up to 3840x2160, the ViewPro-C adapter lets you take full advantage of the enhanced video capabilities of USB-C to give you crystal clear picture quality.

- Connect your USB-C or Thunderbolt™ 3 based Notebook, Ultrabook™ or Tablet to a HDMI® / VGA display or projector
 - USB-C to HDMI
 - USB-C to VGA
 - USB-C to USB Type-A
 - USB-C to Ethernet
 - Supports Video Resolutions of up to 3840x2160 (HDMI) or 2048x1152 (VGA) *
 - Built-in Billboard feature that meets USB 3.1 standards
 - 6-layer PCBA design that reduces signal distortion and improves EMI protection
 - Compliant with DisplayPort™ Specification 1.2 Alternate Mode
- * When using the HDMI/VGA ports, only one video output is supported at a time (either VGA or HDMI)





Requirements

Package Contents

- | | |
|---|---|
| <ul style="list-style-type: none">• USB 3.1 Type-C port with video support• Windows® 7, Windows® 8, Windows® 8.1, Windows® 10• Mac OS® X 10.7+• Google Chrome OS | <ul style="list-style-type: none">• 1 x GUH3C44• 1 x Quick Start Guide• 1 x Warranty Card |
|---|---|

Specifications

Function	GUH3C44	Dimensions	GUH3C44
Connectors (Input)	USB Type-C (Male: 24-Pin)	POP Information	
USB Specification	USB 3.1 Gen 1	10" Peg Hook	6
Video connections		6" Peg Hook	4
Output	HDMI Type-A (Female: 19-Pin), VGA (Female: 15-Pin High Density D-Sub)	Unit Dimensions	
Video Resolution	HDMI: Up to 3840x2160 @ 30Hz, VGA: Up to 2048x1152 @ 60Hz	Height	6.25" (15.88 cm)
Power Supply	USB Bus-Powered	Length	4.25" (10.80 cm)
		Depth	0.6" (1.52 cm)
		Inner Pack	
		Height	8.25" (20.96cm)
		Length	5.5" (13.97cm)
		Width	9.5" (24.13cm)
		Inner Pack Qty.	6
		Unit Package Dimensions	
		Height	7" (17.78cm)
		Width	5" (12.7cm)
		Depth	1.5" (3.81cm)
		Master Carton	
		Height	17.25" (43.82 cm)
		Width	11.6" (29.46 cm)
		Depth	9.75" (24.77 cm)
		Master Carton Qty.	24
		Weight	
		Master Carton Wt.	11.53 lb (5.23 kg)
		Inner Pack Wt.	2.55lb (1.16kg)
		Unit Pack Wt.	0.35lb (0.16kg)
		Unit Wt.	0.15lb (0.07kg)