

GWHD11

## Wireless Video Connection Kit for 1 TV with HDMI®

Send uncompressed Full HD 1080p with 3D support from your laptop, computer, game console and / or other HDMI devices



Perfect for home, office or school - send uncompressed Full HD 1080p with 3D support from your laptop, computer, game console and / or other HDMI devices.

### Multiple Transmitters For Multiple Presenters

Up to three additional Wireless HDMI Transmitters can be paired to the Receiver, adding up to four total Wireless HDMI Transmitters per Receiver.

### Wirelessly Extend or Mirror your Computer

Take advantage of your large screen HDTV and mirror or extend your computer's screen wirelessly. Browse the Internet, view streaming video sites and share photos and videos for easier viewing.

### Plug-N-Play

- Wireless audio/video kit for one (1) TV with an HDMI connector
- Wireless uncompressed Full HD 1080p audio/video streaming with 3D support up to 30ft\*
- Connect and send content from a laptop, game console, Blu-ray player or set-top box/DVR/Cable box
- Supports 5.1 channel digital audio
- Video Resolutions: 480p, 720p, 1080i and 1080p
- No software or driver installation needed

- Based on WHDI™ Technology - Low latency < 1ms; great for wireless gaming
- Add up to 3 additional wireless transmitters (Part# [GWHDSTXB](#)) and expand the number of HDMI devices that can transmit to the receiver\*\*

\*Up to 3 additional wireless video transmitters with HDMI connectors, line of site, sold separately - Part# [GWHDSTXB](#)



**How does it work?**

- Connect the HDMI Transmitter to a laptop or media player HDMI port
- Connect the Receiver to your HDTV or HD projector with an HDMI cable
- Wirelessly play content on your HDTV



**Requirements**

**Display:**

- HDTV or HD Projector
- HDMI Input

**Media Source:**

- HDMI Output

Optional: Additional Wireless Transmitters with HDMI connectors (up to 3 additional units), sold separately - Part# [GWH DSTXB](#)

**Package Contents**

- 1 x Wireless Transmitter with HDMI Connector
- 1 x Wireless Receiver with HDMI Connector
- 1 x Mini USB to USB Cable
- 2 x USB Power Adapters
- 1 x Remote Control
- 2 x AAA Batteries
- 1 x HDMI Cable
- 1 x Quick Start Guide
- 1 x Warranty Card

## Specifications

Function	GWHD11	Dimensions	GWHD11
<b>Connectors</b>		<b>Unit Dimensions</b>	
Video Input	Transmitter: 1 x HDMI connector (Type A, Male)	Height	Tx: 0.75" (1.9cm), Rx: 1.5" (3.81cm)
Video Output	Receiver: 1 x HDMI connector (Type A, Female)	Length	Tx: 1.12" (2.86cm), Rx: 3.75" (9.52cm)
Power	1 x Mini USB Power Jack (Transmitter and Receiver)	Depth	Tx: 3.12" (7.94cm), Rx: 3.75" (9.52cm)
<b>Video Resolution</b>	480p, 720p, 1080i and 1080p with 3D support	<b>Unit Package Dimensions</b>	
<b>Video Streaming</b>	<1ms Latency	Height	2.50" (6.35 cm)
<b>Audio</b>		Width	9.75" (24.77 cm)
Audio Output	Digital 6Mbps, 2 to 8 channels 16 ~ 24 bits/sec by I2S and S/P DIF bus over WHDI transmission (Dolby Digital & DTS)	Depth	7.38" (18.75cm)
<b>Frequency</b>	5.1 ~ 5.8 GHz (Includes Non-DFS and DFS Frequency Bands)	<b>Master Carton</b>	
<b>Range</b>	Maximum video transmission range is 30ft (10m) in line of site	Height	8" (20.32cm)
<b>LEDs</b>		Width	8" (20.32cm)
Power On	Transmitter: 1 x Blue LED; Receiver: 1 x LED (two-tone: green & red)	Depth	10.25" (26.03cm)
<b>Power</b>		Master Carton Qty.	3
Amps	1A (Transmitter) and 1.5A (Receiver)	<b>Weight</b>	
Voltage	5V DC Mini USB (Transmitter and Receiver)	Master Carton Wt.	5.35lb (2.42kg)
<b>Operating Temperature</b>	0 ~ 40C	Unit Pack Wt.	1.55lb (0.72kg)
		Unit Wt.	Tx: 0.05lb (0.02kg), Rx: 0.30lb (0.12kg)