

GWHDKIT11C

# Share Pro™ USB-C Wireless HD Video Transmitter and Receiver Kit



- Wirelessly share HD content from a USB-C laptop or tablet to a TV/display
- Eliminate the need and expense of running unsightly HDMI cables
- Connect temporary or permanent sources and a TV/display without wires
- Mirror or extend content to a larger screen for effortless viewing
- Reaches an in-room wireless range of up to 60 ft.

## Share HD Video From Your Laptop or Tablet to a Larger TV


IOGEAR's Share Pro™ USB-C Wireless HD Video Transmitter and Receiver eliminates unsightly, expensive HDMI cable runs to a laptop, tablet or other AV source in the home, office or on-the-go. Effortlessly share full HD content wirelessly from a USB-C-enabled source to a larger in-room TV or display up to 60 feet away. Create a dedicated, high-speed AV connection without an existing wireless network. Share Pro also travels to meetings, class or on vacation thanks to its portable, compact design.

## From a Small Screen to a Larger Screen

Share HD content with guests, coworkers or classmates from your USB-C\* laptop, tablet or other AV source to a larger in-room screen up to 60 feet away for effortless expanded or mirrored viewing.

- Wirelessly share HD content from a USB-C laptop or tablet to a TV/display
- Eliminate the need and expense of running unsightly HDMI cables
- Connect temporary or permanent sources and a TV/display without wires
- Mirror or extend content to a larger screen for effortless viewing
- Reaches an in-room wireless range of up to 60 ft.
- Simple, straightforward setup - No software required
- Portable design is ideal for home, office, class or on-the-go
- Utilizes the 5 GHz wireless frequency band for reduced interference
- Dedicated direct connection does not require a local wireless network
- Supports 1080p @60Hz High Definition audio & video streaming
- Transmitter is powered from the USB-C port on your laptop or tablet
- Power receiver via included USB cable from display's USB port or the included wall adapter
- HDMI & HDCP 1.2 compliant
- Windows and Mac compatible





### Requirements

- 1 x USB-C with Alternate mode output from the source device such as a laptop or tablet
- 1 x HDMI input to the display or projector

### Package Contents

- 1 x USB-C Wireless video extender transmitter
- 1 x Wireless video extender receiver
- 1 x HDMI Extender Cable
- 1 x 90° HDMI Adapter
- 1 x USB-C Extender cable
- 1 x Power adapter
- 1 x Quick Start Guide
- 1 x Warranty Card

## Specifications

| Function                 | GWHDKIT11C   | Dimensions                     | GWHDKIT11C   |
|--------------------------|--|--------------------------------|--------------|
| <b>Power Adapter</b>     | Input 100~240 VAC, 50/60Hz, 0.3A Tx input<br>USB-C port Rx input 5VDC/2A | <b>Unit Dimensions</b>         |              |
| <b>Power</b>             |  | Height                         | 0.625 in     |
| Voltage                  | TX = USB-C RX = 5V   | Length                         | 3.50 in      |
| Amps                     | 1A   | Depth                          | 1.50 in      |
| <b>Display Output</b>    |  | <b>Unit Package Dimensions</b> |              |
| HDMI                     | HDCP 1.2   | Height                         | 7.50 in      |
| <b>Connectors</b>        |  | Length                         | 6 in         |
| USB-C                    | TX = USB-C connector   | Depth                          | 2 in         |
| Video Input              | TX = USB-C male  | <b>Master Carton</b>           |              |
| Video Output             | RX = HDMI male   | Height                         | 18.89 in     |
| <b>Housing</b>           |  | Width                          | 17.32 in     |
| Case                     | Plastic TX and RX  | Depth                          | 8.97 in      |
| <b>LEDs</b>              |  | Master Carton Qty.             | 24           |
| Power On                 | TX and RX  | <b>Weight</b>                  |              |
| WLAN                     | TX and RX  | Master Carton Wt.              | 18.91 lb     |
| <b>Power Consumption</b> | TX < 3W/RX < 5W  | Unit Pack Wt.                  | 0.76 lb      |
| <b>Video Resolution</b>  | 480p @ 60Hz, 576p @ 50Hz, 720p @<br>50/60Hz, 1080p @ 50/60Hz             | Unit Wt.                       | 0.05 lb (x2) |
| <b>Video Streaming</b>   | H.264 <200ms Latency, Max transfer rate<br>10.2Gbps                      |                                |              |
| <b>WiFi</b>              |  |                                |              |
| Frequency                | 5GHz   |                                |              |
| <b>Warranty</b>          | 1 - year   |                                |              |
| <b>Environment</b>       |  |                                |              |
| Humidity                 | 0 - 90%  |                                |              |
| Operation Temperature    | 32 - 104 F   |                                |              |
| Storage Temperature      | -4 ~ 158F  |                                |              |
| <b>Operating Range</b>   | 60 ft.   |                                |              |