

GUD3C05

USB-C Docking Station with Power Delivery 3.0



- Instantly dock up to 10 devices
- Charge laptop & devices with up to 100W pass-through^{1&2}
- Fast Role Swap provides safe operation for connected devices during power changes
- Versatile video options: HDMI (4K), Mini DisplayPort (4K) or VGA (1080p)
- Dual video outputs available via HDMI & Mini DisplayPort for up to 1080p @60Hz³

Laptop Expandability for up to 10 Devices

Connect and expand your USB-C laptop to accommodate up to 10 must-need devices. Quickly turn your MacBook or Windows laptop or tablet into a powerhouse of productivity through a single USB-C cable. Connect a wide variety of devices such as a full-sized keyboard and mouse, an external hard drive, a printer, a microphone, headphones or speaker set, and transfer files through its built-in SD/MicroSD card reader. Enjoy the flexibility of the dock's versatile video options including 4K resolutions through the HDMI or Mini DisplayPort connections or 1080p video through the VGA port.

- Quickly connect up to 10 devices through one USB-C cable
 - Charge laptop & devices with up to 100W pass-through^{1&2}
 - Fast Role Swap provides safe operation for connected devices during power changes
 - Versatile video options: HDMI (4K), Mini DisplayPort (4K) or VGA (1080p)
 - Dual video outputs available via HDMI & Mini DisplayPort for up to 1080p @60Hz³
 - Silicon rubber pad prevents dock from slipping or scratching laptop
 - SD/MicroSD card reader/writer supports memory expansion
 - 1 x 3.5mm Audio input & 1 x 3.5mm Audio output
 - 3x USB-A 3.0 ports; with 1 BC 1.2 charging port (1.5A)
 - 1 x USB-C data port
 - 1 x Gigabit Ethernet port
 - HDCP 1.4 compliant
- Works with the latest USB-C iPad Pro (2018 late) under mirror-mode

¹ Power Delivery 3.0 pass-through offers up to 100W of charging power utilizing the laptop's USB-C power adapter. USB-C power adapter not included.

² Maximum of up to 85W of power can be delivered to the laptop after deduction of 15W used by the docking station. Pass-thru power delivered to the laptop is dependent upon the capacity of your USB-C power supply. Ex. If your USB-C power supply is 60W, then the maximum power can be delivered to the laptop is 60W-15W = 45W. If your power supply is 87W, then the maximum power can be delivered to the laptop is 87W-15W= 60W.

³ Only one additional video output is supported for extended desktop on macOS X.

Note: For best video performance direct connections are recommended. Adapters and converters are not guaranteed to function properly.





Requirements

Package Contents

System Requirements

- USB-C compatible laptops with DP Alt-Mode support
- USB-C AC Adapter from Laptop is needed for Power Delivery Pass-Through Function
- Only one additional video output can be utilized for extended desktop using Mac OS
- For dual screen extended desktop in Windows, you must use HDMI with DisplayPort
- When VGA output is utilized, only one additional extended desktop screen will be available
- Compatible with USB-C and Thunderbolt 3 laptop
- For Windows OS: dual screen extended desktop can only be configured through both HDMI and Mini DisplayPort*
- For Mac OS: dual screen is operated in mirror mode via HDMI and Mini DisplayPort*

- GUD3C05 x 1
- Quick Start Guide x 1
- Warranty card x 1

Operating System Requirements

- Windows 10
- Mac OS X 10.10.5+ (MST is not supported by Mac OS)
- Google Chrome OS

* Mini DisplayPort is not compatible with Thunderbolt 2 port, and the docking station will not work with Thunderbolt 2 display

** For best video performance, it is recommended to have direct connection between your external displays and the

an adapter between the docking station and the display or video cables
 *** Kindly note that for iPad pro, mouse or trackpad device will not work due to the lack of mouse pointer location in iPad

Specifications

Function	GUD3C05	Dimensions	GUD3C05
Upstream Port		Unit Dimensions	
USB-C	Built-in USB 3.1 G1 Type-C cable	Height	2.96" (7.5cm)
Downstream Port		Length	13.78" (35cm)
HDMI	1x HDMI port (v.1.4 spec compliant, up to 3840x2160@30Hz)	Depth	0.39" (1.5cm)
Mini DisplayPort	1x miniDisplayPort port (v.1.2 spec compliant, up to 3840x2160@30Hz)	Unit Package Dimensions	
VGA	1x VGA port (up to 1920x1200@60Hz)	Height	4.53" (11.5cm)
USB-A	3x USB 3.0 A ports, 1 port with BC1.2 charging	Width	18.5" (47cm)
USB-C	1x USB-C port for charging, 1 x USB-C for data	Depth	1.57" (4cm)
Card Reader	Supports SD/SDHC/SDXC @ UHS-I class, MMC	Master Carton	
Ethernet	1x Gigabit Ethernet port	Height	5.9" (15cm)
Audio	DC3.5 port, support audio or microphone	Width	17.32" (44cm)
Power		Depth	9.84" (25cm)
Power Delivery Pass-Thru	PD 3.0 / 100W (A total of up to 85W can be charged to the laptop after deduction of max 15W used by the dock)	Master Carton Qty.	6
Operating System Requirements		Weight	
Windows	Windows 7 / 8 / 8.1 / 10	Master Carton Wt.	7.72lb (3.5kg)
Mac	Mac OS X 10.10.5+	Unit Pack Wt.	1.1 lb (0.5kg)
		Unit Wt.	0.85lb (0.39kg)